



ANCHOR CERAMICS

LIGHTING 2017





Anchor's lighting range is purposefully designed to show the beauty of each Australian clay body. The range is handmade using artisanal manufacturing methods and small production runs. Through our handmade processes, each light fitting we make is unique; an object with a carefully considered form and a surface rich with the evidence of its handmade origins.

We are currently producing four families of lighting products. The Potter Light, a pendant range in varying sizes and glaze finishes, the Potter Halo, a pendant made using a delicate, translucent porcelain and the Earth Light, a fitting that is made in wall and matching pendant formats. Our latest release, the Potter DS, is a wall light that blends the best of traditional, hand-made pottery techniques with cutting edge digital technologies. The electrical componentary across all fittings has been custom designed and is assembled by a specialist lighting contractor.

At Anchor, we're passionate about maintaining healthy and robust local design and artisanal manufacturing industries. Our products are hand made in Melbourne, Australia and in doing so we provide employment opportunities for emerging practitioners, educate and transfer our skills and knowledge and support a whole host of other local businesses with the same commitment to quality and the handmade. In buying a product designed and made here in Australia, you're helping to support this vision.

POTTER LIGHT

Anchor's Potter Light range is handmade in Melbourne, Australia. The simple, geometric form of the ceramic shade is thrown on a potter's wheel. Made using a range of high quality, Australian made stoneware clays, each fitting is imbued with the subtle differences in finish and form that are inherent in a truly hand made object.

After an initial firing, the fittings are hand finished with glazes we have developed specifically for our lighting range. A final firing to 1,280 degrees C, matures the glaze and finalises the piece.

The electrical componentary has been custom designed and manufactured to complement the handmade nature of the ceramics and is assembled by a specialist lighting contractor.



POTTER LIGHT MINI
CHARCOAL GLAZE

POTTER LIGHT SMALL
CHARCOAL GLAZE





POTTER LIGHT MEDIUM
CHARCOAL GLAZE



POTTER LIGHT LARGE
CHARCOAL GLAZE



POTTER LIGHT MINI
CHARCOAL GLAZE

POTTER LIGHT MINI
SPECKLED NATURAL GLAZE

POTTER LIGHT MINI
SPECKLED WHITE GLAZE

POTTER LIGHT MINI
DOVE GLAZE

POTTER MINI

New to the Anchor Potter Light family for 2017 is an additional size offering called the Potter Mini. With a diameter of just 100mm, the fitting is hand made in the same range of glazes as the larger sizes in the Potter Light family. See the first page in this document for a side by side comparison of the four sizes in the range.



POTTER LIGHT MINI
SATIN CLEAR GLAZE



POTTER LIGHT MINI
GLOSS WHITE GLAZE



POTTER LIGHT MINI
GREY GLAZE



POTTER LIGHT MINI
CHARCOAL & WHITE STRIPE GLAZE



TERRACOTTA POTTER

Like all fittings in the Anchor Potter Light range, each of the terracotta Potter Lights are hand thrown on potter's wheel. What makes the terracotta Potters slightly different from the other fittings in the Potter Light range is the Terracotta claybody we use to make them.

Sourced from a producer in South Australia, the terracotta is a pure, unfiltered clay which, when fired to just the right temperature produces a rich and bright burnt orange colour.

The richness of surface and colour depth that is inherent to the material gives each of the terracotta fittings a simple, raw honesty.





POTTER LIGHT SPECIFICATION

EACH FITTING IS SUPPLIED WITH

- High grade white ceramic E27 lampholder
- All fittings are designed to use a LED globe ONLY
- The fitting is dimmable depending on globe selection
- The fitting is not supplied with globe
- 1.5 metres of 2 core fabric sheathed electrical cable in a range of colours
- The medium and large fitting sizes are supplied with powder-coated suspension fittings and black stainless steel cable (Note: Black stainless cable is only available in lengths up to 2m. For orders requiring a greater than 2m drop, standard stainless steel cable will be used in replacement)
- All sizes are supplied with 80mm diameter powder coated steel ceiling canopy. The canopy provides the ceiling fixing, earth and stainless steel cable adjuster for medium and large sizes
- Electrical components are assembled by a specialist lighting contractor in Melbourne, Australia
- All electrical components used in the Potter Light meet the requirements of the relevant Australian Standard and are approved for use in Australia
- Fittings are packaged in a custom designed carton to minimise breakages in transit.

CUSTOM ORDERS

Considerable work goes into the development of each product, particularly glaze research and testing. Whilst we've undertaken a number of custom projects, we have found that typically, it is projects with larger volumes and lead times that can justify the additional cost and time required to develop a custom product. Please contact us to discuss your custom order.

ELECTRICAL FLEX OPTIONS

- Black
- Gold
- Black and white zig-zag
- Extra cable length can be supplied as needed. This is sold by the half metre.

MADE TO ORDER LEAD TIME

- 8-10 weeks from date of deposit receipt
- We carry a small amount of stock of the ceramic component. These can be dispatched on an electrical assembly lead time of three weeks.

TO ORDER PLEASE SPECIFY

- Size of fitting
- Glaze finish
- Flex colour (and additional length if required)
- Ceiling canopy colour - black or white
- Delivery / Collection requirements

GLAZE OPTIONS

Select from the following glaze options for the Potter Light.



CHARCOAL



SPECKLED WHITE



DOVE GREY



CHARCOAL & WHITE STRIPE



SPECKLED NATURAL



TERRACOTTA



PURE WHITE



SATIN CLEAR




SIZING

All Anchor light fittings are made by hand on a potter's wheel. Minor fluctuation in size, shape and glaze finish is normal and an inherent characteristic of a handmade object.

These subtle shifts from fitting to fitting give each object we make a unique quality and a surface rich with the evidence of its handmade origins.

Sizes noted below are typical.



ALL DIMENSIONS ARE APPROXIMATE



SMALL

MEDIUM





MINI

POTTER HALO

Handmade to the same size and shape specifications as the other fittings in the Potter Light family, the Potter Halo is thrown on a Potter's wheel using a specially formulated, high grade porcelain.

Sourced from a producer in Tasmania, Australia, the porcelain we use to make the Potter Halo is internationally regarded as one of the best in the world; its highly refined nature produces a translucent surface that glows softly when illuminated from within.

The Potter Halo is left unglazed to encourage the translucency of the claybody and to celebrate the delicate softness of the porcelain surface. A pale grey linen covered flex completes the assembly.

POTTER HALO SPECIFICATION

EACH FITTING IS SUPPLIED WITH

- High grade white ceramic E27 lampholder
- All fittings are designed to use a LED globe ONLY
- The fitting is dimmable depending on globe selection
- The fitting is not supplied with globe
- 1.5 metres of 2 core fabric sheathed electrical cable in a range of colours
- The medium fitting size is supplied with powder-coated suspension fittings and black stainless steel cable (Note: Black stainless cable is only available in lengths up to 2m. For orders requiring a greater than 2m drop, standard stainless steel cable will be used in replacement)
- All sizes are supplied with 80mm diameter powder coated steel ceiling canopy. The canopy provides the ceiling fixing, earth and stainless steel cable adjuster for medium and large sizes
- Electrical components are assembled by a specialist lighting contractor in Melbourne, Australia
- All electrical components used in the Potter Halo meet the requirements of the relevant Australian Standard and are approved for use in Australia
- Fittings are packaged in a custom designed carton to minimise breakages in transit.

CUSTOM ORDERS

Considerable work goes into the development of each product, particularly glaze research and testing. Whilst we've undertaken a number of custom projects, we have found that typically, it is projects with larger volumes and lead times that can justify the additional cost and time required to develop a custom product. Please contact us to discuss your custom order.

ELECTRICAL FLEX OPTIONS

- Pale grey linen flex
- Dark grey linen flex
- Extra cable length can be supplied as needed. This is sold by the half metre.

MADE TO ORDER LEAD TIME

- 8-10 weeks from date of deposit receipt
- We carry a small amount of stock of the ceramic component. These can be dispatched on an electrical assembly lead time of three weeks.

TO ORDER PLEASE SPECIFY

- Size of fitting
- Flex colour (and additional length if required)
- Ceiling canopy colour - black or white
- Delivery / Collection requirements



Light grey linen flex




Porcelain surface finish



SIZING

All Anchor light fittings are made by hand on a potter's wheel. Minor fluctuation in size, shape and glaze finish is normal and an inherent characteristic of a handmade object.

These subtle shifts from fitting to fitting give each object we make a unique quality and a surface rich with the evidence of its handmade origins.



ALL DIMENSIONS ARE APPROXIMATE

POTTER DS

The Potter DS ceramic wall light is the product of an ongoing collaboration with our long term lighting and production partners, Rakumba Lighting and Michael Skewes Pottery.


Made using a hybrid process of traditional pottery techniques and cutting edge digital tools, the DS is simple and refined, favouring the quiet beauty of the ceramic surface.

The external simplicity belies the internal sophistication of the fittings, produced using the latest LED technology and a series of aluminium and acrylic extrusions to house the mechanics and diffuse the light output.





DS WHITE
WALL FORMAT



WALL FORMAT
55mm dia. | 450mm tall

ALL DIMENSIONS ARE APPROXIMATE

POTTER DS SPECIFICATION

EACH FITTING IS SUPPLIED WITH

- Dimmable tridonic LED
- 6W, 720 LuM at 3,000K
- Supplied with non-dimmable driver, dimmable driver available as an option
- Frosted acrylic diffuser
- Custom designed, aluminium wall bracket with wall fixing plate. Powder coated to complement the glaze finish
- Electrical components are assembled by a specialist lighting contractor in Melbourne, Australia
- All electrical components used in the Potter DS meet the requirements of the relevant Australian Standard and are approved for use in Australia
- Fittings are packaged in a custom designed carton to minimise breakages in transit.

MADE TO ORDER LEAD TIME

- Currently 12 weeks from date of deposit receipt

TO ORDER PLEASE SPECIFY

- Glaze finish
- Dimmable / non-dimmable driver
- Delivery / Collection requirements



DS WHITE



DS CHARCOAL

GLAZE OPTIONS

Select from the following glaze options for the Potter DS.




DS CHARCOAL
WALL FORMAT

EARTH LIGHT

Our Earth Light has been developed in both a wall and pendant format; the fitting is the same size in either format allowing it to be purposefully used across a range of environments both domestic and commercial.

Whilst its geometric form is both simple and architectural, each fitting is thrown on a potter's wheel giving each light a unique quality and a surface rich with the evidence of its hand made process. After an initial firing, the fittings are hand finished with glazes developed specifically for our lighting range.

The wall bracket and electrical componentary have been custom designed to complement the handmade nature of ceramics and are assembled by a specialist lighting contractor.



TERRACOTTA
PENDANT FORMAT



SPECKLED WHITE
WALL FORMAT



PENDANT FORMAT
95mm dia. | 170mm tall



WALL FORMAT
95mm dia. | 170mm tall



SIZING

All Anchor light fittings are made by hand on a potter's wheel. Minor fluctuation in size, shape and glaze finish is normal and an inherent characteristic of a handmade object.

These subtle shifts from fitting to fitting give each object we make a unique quality and a surface rich with the evidence of its handmade origins.

Sizes noted are typical.



EARTH LIGHT SPECIFICATION

WALL LIGHT IS SUPPLIED WITH:

- High grade G10 lampholder
- Fittings are designed to operate with a LED globe only
- Dimmable depending on globe selection
- The fitting is not supplied with globe
- Custom designed, aluminium wall bracket with wall fixing plate. Powder coated to complement the glaze finish
- All electrical components used in the Earth Light meet the requirements of the relevant Australian Standard and are approved for use in Australia
- Fittings are packaged in a custom designed carton to minimise breakages in transit.

PENDANT IS SUPPLIED WITH:

- High grade G10 lampholder
- Fittings are designed to operate with a LED globe ONLY
- Dimmable depending on globe selection
- The fitting is not supplied with globe
- 1.5 metres of 2 core fabric sheathed electrical cable
- 80mm diameter powder coated steel ceiling canopy in either black or white. The canopy provides the ceiling fixing and earth connection
- All electrical components used in the Earth Light meet the requirements of the relevant Australian Standard and are approved for use in Australia
- Fittings are packaged in a custom designed carton to minimise breakages in transit.

CUSTOM ORDERS

Considerable work goes into the development of each product, particularly glaze research and testing. Whilst we've undertaken a number of custom projects, we have found that typically, it is projects with larger volumes and lead times that can justify the additional cost and time required to develop a custom product. Please contact us to discuss your custom order.

ELECTRICAL FLEX OPTIONS

- Black
- Gold
- Black and white zig-zag
- White
- Extra cable length can be supplied as needed.

MADE TO ORDER LEAD TIME

- 8-10 weeks from date of deposit receipt
- We carry a small amount of stock of the ceramic component. These can be dispatched on an electrical assembly lead time of three weeks.

TO ORDER PLEASE SPECIFY

- Wall or pendant format
- Glaze finish
- Flex colour (and additional length if required)
- Ceiling canopy colour - black or white
- Delivery / Collection requirements

GLAZE OPTIONS

Select from the following glaze options for the Earth Light.



CHARCOAL



SPECKLED WHITE



DOVE GREY



TERRACOTTA



PURE WHITE