

3602 - SET OF 3 LAMPS H.12 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE



Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

Switch function: change the light temperature & brightness (short click 1 s),

OFF (long click 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 candle-style warm white (2300°K) flickering


Power supply type: battery - Battery life: Min. 10 h - Max. 13 h

Rechargeable: 4h - Charging system: USB USB, cable (supplied) 1,5m

0.25 A - 5 V - 0.3 W - IP44 (ingress protection) | IK10 (impact resistance)

Powered by Smart & Green

See inside cover for available colours



0.15 kg

3603S - SET OF 3 LAMPS H.12 CM (6 colours)

3602 - SET OF 3 LAMPS H.12 CM (6 monochrome)

- | | | | | | |
|--------|--|--------|--------|--|---------------|
| 360282 | | Cactus | 360247 | | Anthracite |
| 360214 | | Nutmeg | 360221 | | Acapulco Blue |
| 360273 | | Honey | 360220 | | Red Ochre |

3612 - LAMP H.25 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE



Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 40 lm

Switch type: push button

Switch function: change the light temperature & brightness (short click 1 s), OFF (long click 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 neutral white (4000°K) 50% brightness

Position 4 candle-style warm white (2300°K) flickering

Power supply type: battery - Battery life: Min. 7 h - Max. 14 h


Rechargeable: 5h - Charging system: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W - IP44 (ingress protection) | IK10 (impact resistance) | CE | FCC

Powered by Smart & Green

See inside cover for available colours



0.53 kg

361000 - H.25 CM SET (6 colours)

3612 - H.25 CM SET (6 monochrome)

- | | | | | | |
|--------|--|--------|--------|--|---------------|
| 361282 | | Cactus | 361247 | | Anthracite |
| 361214 | | Nutmeg | 361221 | | Acapulco Blue |
| 361273 | | Honey | 361220 | | Red Ochre |

3622 - LAMP H.38 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE



Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 150 lm

Switch type: push button

Switch function: change the light temperature & brightness (short click 1 s), OFF (long click 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 cool white (6000°K) 50% brightness

Position 3 neutral white (4000°K) 100% brightness

Position 4 neutral white (4000°K) 50% brightness

Position 5 candle-style warm white (2300°K) flickering

Power supply type: battery - Battery life: Min. 9 h - Max. 16 h


Rechargeable: 7h - Charging system: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

2 A - 5 V - 2.5 W - IP44 (ingress protection) | IK10 (impact resistance) | CE | FCC

Powered by Smart & Green

See inside cover for available colours



1.21 kg

3620S - H.38 CM SET (6 colours)

3622 - H.38 CM SET (6 monochrome)

- | | | | | | |
|--------|--|--------|--------|--|---------------|
| 362282 | | Cactus | 362247 | | Anthracite |
| 362273 | | Honey | 362221 | | Acapulco Blue |
| 362214 | | Nutmeg | 362220 | | Red Ochre |



BALAD

3632 - SPIKE STAND DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE

6⁷ IPAC



Steel wire frame
Steel clip on the ball joint system, with protective rubber pads
Recommended for Balad H.25 lamp
Suitable for Balad H.38 lamp
See inside cover for available colours

- | | | | | | |
|--------|--|--------|--------|--|---------------|
| 363282 | | Cactus | 363247 | | Anthracite |
| 363273 | | Honey | 363221 | | Acapulco Blue |
| 363214 | | Nutmeg | 363220 | | Red Ochre |



3631 - UPRIGHT STAND DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE

7 IPAC



Steel wire frame
Steel ballast
Steel clip on ball-joint system with protective rubber pads
Recommended for Balad H.25 lamp
Suitable for Balad H.38 lamp
See inside cover for available colours


- | | | | | | |
|--------|--|--------|--------|--|---------------|
| 363182 | | Cactus | 363147 | | Anthracite |
| 363173 | | Honey | 363121 | | Acapulco Blue |
| 363114 | | Nutmeg | 363120 | | Red Ochre |



3630 - OFFSET STAND DESIGN BY TRISTAN LOHNER


DOMESTIC | PROFESSIONAL | INTENSIVE

7 IPAC



Steel wire frame
Steel ballast
Steel clip on the ball joint system, with protective rubber pads
Recommended for Balad H.38 lamp
Suitable for Balad H.25 lamp
See inside cover for available colours

- | | | | | | |
|--------|--|--------|--------|--|---------------|
| 363082 | | Cactus | 363047 | | Anthracite |
| 363073 | | Honey | 363021 | | Acapulco Blue |
| 363014 | | Nutmeg | 363020 | | Red Ochre |





BALAD & OLÉRON

3600 - SET OF 6 LAMPS H. 12 CM (CONTRACT)

DESIGN BY TRISTAN LOHNER

DOMESTIC PROFESSIONAL INTENSIVE



Polyethylene diffuser

Aluminium frame

ABS base

Technology : integrated LED - Luminous flux: 20 lmSwitch type : push buttonSwitch function : change the light temperature & brightness (short click 1 s)Lighting mood :

Position 1 cool white (6000°K) 100% brightness

Position 2 cool white (6000°K) flickering

Position 3 neutral white (4000°K) 100% brightness

Position 4 neutral white (4000°K) flickering

Position 5 candle-style warm white (2700°K) 100% brightness

Position 6 candle-style warm white (2700°K) flickering

Power OFF mode: long press (5 seconds) (flash = infrared disabled) on the touch button under the lamp or on the charging pack

Power supply type: battery - Battery life: Min. 10 h - Max. 14 hRechargeable: 4h - Charging system: USB on steel charging pack (not supplied)


0.25 A - 5 V - 0.3 W - IP44 (ingress protection) | IK10 (impact resistance) | CE | FCC

Powered by Smart & Green

See inside cover for available colours

Compatible with :

CHARGING PACK – SET OF 6 LAMPS H. 12 CM (CONTRACT) - BALAD



0.15 kg

360026 ● Storm Grey

360029 ● Verbena

360014 ● Nutmeg

3643 - CHARGING PACK – SET OF 6 LAMPS H. 12 CM (CONTRACT)

DESIGN BY TRISTAN LOHNER

DOMESTIC PROFESSIONAL INTENSIVE



Steel frame

Power supply type: mains - Charging system: USB, cable (supplied) 2mPower supply type: USB, cable (supplied) 2m

6-point charging base for set of 6 Balad H. 12 lamps (Contract)


Lamp affixed to the base with magnet system

2 T-shaped openings on the back to affix flush to the wall (horizontal or vertical)

Powered by Smart & Green

Compatible with :

SET OF 6 LAMPS H. 12 CM (CONTRACT) - BALAD



1.1 kg


364326 ● Storm Grey

365100 - SET OF 3 LAMPS BAMBOO H.12 CM

DESIGN BY TRISTAN LOHNER

NEW

DOMESTIC | PROFESSIONAL | INTENSIVE



Polyethylene diffuser

Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

Switch function: change the light temperature & brightness (short click 1 s), OFF (long click 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness


Position 3 candle-style warm white (2300°K) flickering

Power supply type: battery - Battery life: Min. 10 h - Max. 13 h

Rechargeable: 4h - Charging system: USB, cable (supplied) 1,5m

0.25 A - 5 V - 0.3 W - IP44 (ingress protection) | IK10 (impact resistance) | CE | FCC

Powered by Smart & Green



0.13 kg

365200 - LAMP BAMBOO H.25 CM

DESIGN BY TRISTAN LOHNER

NEW

DOMESTIC | PROFESSIONAL | INTENSIVE



Polyethylene diffuser

Bamboo frame

Technology: integrated LED - Luminous flux: 40 lm

Switch type: push button

Switch function: change the light temperature & brightness (short click 1 s), OFF (long click 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 neutral white (4000°K) 50% brightness

Position 4 candle-style warm white (2300°K) flickering


Power supply type: battery - Battery life: Min. 7 h - Max. 14 h

Rechargeable: 5h - Charging system: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W - IP44 (ingress protection) | IK10 (impact resistance) | CE | FCC

Powered by Smart & Green



0.47 kg

365300 - LAMP BAMBOO H.38 CM

DESIGN BY TRISTAN LOHNER

NEW


DOMESTIC | PROFESSIONAL | INTENSIVE



Polyethylene diffuser
 Bamboo frame
 ABS base
Technology : integrated LED - Luminous flux : 150 lm
Switch type : push button
Switch function : change the light temperature & brightness
 (short click 1 s), OFF (long click 3 s)

Lighting mood :
 Position 1 cool white (6000°K) 100% brightness
 Position 2 cool white (6000°K) 50% brightness
 Position 3 neutral white (4000°K) 100% brightness
 Position 4 warm white (6000°K) 50% brightness
 Position 5 candle-style warm white (2300°K) flickering

Power supply type : battery - Battery life : Min. 9 h - Max. 16 h
Rechargeable : 7h - Charging system : USB, cable (supplied) 2m
 Bypass to prevent battery damage during wired use
 2 A - 5 V - 2.5 W - IP44 (ingress protection) | IK10 (impact resistance) | CE | FCC
 Powered by Smart & Green



1.08 kg

